



G-7290-LM31S








# Information

- 1/2" pressure balance valve with diverter and trim
- 8" showerhead with 12" wall-mounted shower arm
- Showerhead features no-clog, easy-clean spray nozzles
- 8" contemporary tub spout
- Optional extension kit
- Showerhead flow rate ≤ 1.8 max gpm
- ADA
- CALGreen







- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- Push-button diverter
- For use with tub & shower configuration
- Supplied with protective plastic guard



24K Gold



24K Brushed Architectural Matte Black Gold



Black™





Polished Chrome



Polished Nickel



SteeInox® (Satin Nickel)



Architectural White






### **Product Features**

- Anti-scald protection
- 1/2" universal inlets/outlets with male threads
- Built-in service stops
- Push-button diverter
- For use with tub & shower configuration
- Supplied with protective plastic guard

### Warranty


• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en-nam/warranty





G-7090-LM31S-T



### **Information**

- Single metal lever handle
- Decorative trim plate
- Includes push-button diverter
- Use with G-7055 pressure balancing rough valve for shower and tub configurations
- To complete package, you must order rough valve



24K Gold



Gold



24K Brushed Architectural Matte Black Black™





Polished Chrome



Polished Nickel





SteeInox® (Satin Nickel)



Architectural White

# G-7090











- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen



24K Gold



24K Brushed Architectural Matte Black Gold



Black™





Polished Chrome



Nickel



SteeInox® (Satin Nickel)



Architectural White





### **Product Features**

- 1/4" thick
- 144 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate ≤ 1.8 max gpm

# 

### Available Finishes

- Polished Chrome G-8438-PC
- Brushed NickelG-8438-PN
- Polished Nickel
  G-8438-BNi
- Unfinished Brass\*
  G-8438-UB\*
- Steelnox
  - G-8438-SN
- Olive Brass\*G-8438-OB\*
- Architectual Black with Chrome Accents\*
   G-8438-PC/BK\*
- Gold\* G-8438-AU\*
- Brushed Gold\*
  G-8438-BAU

# Code Compliance

CALGreen


# Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

<sup>\*</sup> Special order finish- call for availability





- Includes arm and square flange
- 1/2" NPT male thread inlet
- For use with all showerheads (especially G-8438)



24K Gold





Black™



24K Brushed Architectural Matte Black



Polished Chrome




Polished Nickel




SteeInox® (Satin Nickel)



Architectural White







- Includes spout ring
- 1/2" NPT male thread inlet
- Tub spout flow rate ~ 8.7 gpm @60 psi



24K Gold





Black™



24K Brushed Architectural Matte Black



Polished Chrome



Polished Nickel



SteeInox® (Satin Nickel)



Architectural White





### **Product Features**

- Includes spout ring
- 1/2" NPT male thread inlet

### Available Finishes

- Polished Chrome G-8575-PC
- Polished Nickel
  G-8575-PN
- Steelnox® (Satin Nickel)
  G-8575-SN
- Olive Bronze™
  G-8575-OB
- Architectural Black with Chrome Accents G-8575-PC/BK

# Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en-nam/warranty

