SHOWER Camden M-Series Thermostatic Shower System - Tub and Shower with Handshower



GT3.K12ST-C16E0



Information

- 3/4" thermostatic valve and trim
- 3/4" stop/volume control valve and 3-way diverter valve and trims
- 9" showerhead with 11" wall-mounted shower arm
- Showerhead features no-clog, easy-clean spray nozzles
- Handshower set with wall-mounted slide bar and 59" hose (PVD finishes use 59" flex hose)
- 8" matching Camden collection tub spout
- · Optional extension kit
- Flow rates: showerhead ≤ 1.8 max gpm, handshower ≤ 1.8 max gpm
- ADA
- CALGreen





Information

- Includes spout ring
- 1/2" NPT male thread inlet
- Tub spout flow rate ~ 13.9 gpm @60 psi
- ADA









Architectural White





- Includes spout ring
- 1/2" NPT female thread inlet
- Tub spout flow rate ~ 13.9 @60 psi

Available Finishes

- Polished Chrome G-6965-PC
- Brushed Nickel
 G-6965-BNi
- Polished Nickel
 G-6965-PN
- Olive Bronze
 G-6965-OB
- Unfinished Brass*
 G-6965-UB*
- Gold*G-6965-AU*
- Brushed Gold*
 G-6965-BAU*


Code Compliance

CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs



^{*} Special order finish- call for availability





Information

- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions









Architectural White





- 12.9 gpm @ 60 psi
- 3/4" universal inlets
- Built-in service stops
- Stacking outlet feature
- Complete serviceability from front of all units
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

• Limited lifetime warranty


For complete warranty information go to www.graff-faucets.com/en/info/faqs







G-8031-C16E-T



Information

• Single metal handle and decorative trim plate

Architectural

White

- Use with G-8006 thermostatic rough valve
- ADA

Finishes


Unfinished


Vintage


Brushed BrassBrushed Brass



G-8031-C16E-T Series











G-8034-C16E1-T



Information

- Single metal handle and decorative trim plate
- Use with G-8076 Stop/Volume Control rough valve with Pass-Through or G-8077 Stop/Volume Control rough valve
- ADA









Architectural Brushed BrassBrushed Brass White

G-8039-C16E1-T





Information

• Single metal handle and decorative trim plate

Architectural

White

- Use with G-8053 3-Way Diverter Control Valve WITH Off Function
- ADA

Finishes


Unfinished

Vintage

Brushed BrassBrushed Brass




G-8039-C16E1-T Series





Three-Way Diverter Control Valve WITH Off Function (No Pass-Through) **G-8053**





Information

- ~11.4 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- · Operates one function at a time
- Stacking inlet feature
- Supplied with protective plastic cover
- CALGreen compliant depending on functions



Unfinished Vintage Architectural Brushed BrassBrushed Brass White





- 3/4" universal inlets/outlets with female threads
- Stacking inlet feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

• Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs









Information

- 18.1 gpm @ 60 psi
- 3/4" universal inlets/outlets with female threads
- Stacking inlet and outlet feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions









Architectural Brushed BrassBrushed Brass





- 3/4" universal inlets/outlets with female threads
- 18.1 gpm @ 60 psi
- Stacking inlet and outlet feature
- Supplied with protective plastic cover
- CalGreen compliant dependent on functions


Code Compliance


• CALGreen

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-faucets.com/en/info/faqs





G-8406





Information

- 126 no-clog, easy-clean rubber spray nozzles
- Recommended use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt

Architectural

White

- Showerhead flow rate ≤ 1.8 max gpm
- CALGreen

Finishes

Unfinished

Vintage

Brushed BrassBrushed Brass







3-7/16" (87mm)

Product Features

- Sunflower shape
- 126 no-clog, easy-clean rubber spray nozzles
- Showerhead flow rate < 1.8 max gpm


Available Finishes

- Polished Chrome G-8406-PC
- Brushed Nickel G-8406-BNi
- Polished Nickel G-8406-PN
- Unfinished Brass*
 G-8406-UB*
- Olive Bronze
 G-8406-OB*
- Gold*
 G-8406-AU*

Warranty

Brushed Gold*G-8406-BAU*

Code Compliance • CALGreen



Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty

^{*} Special order finish- call for availability





Information

- Includes arm and flange
- 1/2" NPT male thread inlet

Vintage

Brushed BrassBrushed Brass

Architectural

White

• For use with all showerheads

Finishes

Unfinished








- Includes arm and round flange
- 1/2" NPT male thread inlet
- For use with all showerheads

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs



Available Finishes

- Polished Chrome G-8508-PC
- Brushed Nickel G-8508-BNi
- Polished Nickel G-8508-PN
- Unfinished Brass*
 G-8508-UB*
- Unfinished Brushed Brass* G-8508-UBB*
- Matte Black* G-8508-MBK*
- Architectural Black* G-8508-BK*
- Architectural White* G-8508-WT*
- Steelnox (Satin Nickel)*
 G-8508-SN*
- Oive Bronze* G-8508-OB*
- Gunmetal* G-8508-GM*
- Vintage Brushed Brass*
 G-8508-VBB*
- OR'osa PVD*
 G-8508-RG*
- Onyx PVD*
 G-8508-OX*
- Polished Brass PVD*
 G-8508-PB*
- Brushed Brass PVD*
 G-8508-BB*
- 24K Gold*
 G-8508-AU*
- 24K Brushed Gold*
 G-8508-BAU*
 - * Special order finish- call for availability

G-8605



Information

• Brass spiral flexible hose with conical nut

Finishes

Unfinished

Vintage

Brushed BrassBrushed Brass

Architectural

White








 Brass spiral fexible hose with conical nut

Warranty

Limited lifetime warranty

For complete warranty information go to www.graff-designs.com/en-nam/warranty



Available Finishes

- Polished Chrome G-8605-PC
- Polished Nickel G-8605-PN
- Brushed Nickel G-8605-BNi
- Unfinished Brushed Brass* G-8605-UBB*
- Unfinished Brass*
 G-8605-UB*
- Matte Black*
 G-8605-MBK*
- Architectural Black*
 G-8605-BK*
- Architectural White* G-8605-WT*
- Olive Brass*G-8605-OB*
- Gunmetal* G-8605-GM*
- Vintage Brushed Brass*
 G-8605-VBB*
- Steelnox (Satin Nickel)
 G-8605-SN
- 24K Brushed Gold*
 G-8605-BAU*
- 24K Gold*
 G-8605-AU*
- Gunmetal Distressed*
 G-8605-GMD*

^{*} Special order finish- call for availability





Information

• 1/2" NPT female thread inlet

Vintage

Brushed BrassBrushed Brass


Architectural

Finishes

Unfinished



G-8663 CAMDEN Series







G-8691-C16SB



Information

• 27" tall wall-mounted slide bar

Vintage

Brushed BrassBrushed Brass

· Adjustable bracket fits all hoses with conical nut

Architectural

White

Finishes

Unfinished



G-8691-C16S 4-1/16" (102mm) Camden Series 2-3/16" (56mm) Ø <u>1</u>6 13/16" (20mm)

G-8724





Information

- Solid brass construction
- All-metal handle
- Shower hose not included
- Includes internal backflow preventer
- Handshower flow rate ≤ 1.8 max gpm
- CALGreen









Architectural **Brushed BrassBrushed Brass** White





- Solid brass construction
- Smooth, all-metal handle
- Shower hose not included
- Handshower flow rate ≤ 1.5 max gpm
- Includes internal backflow preventer


Available Finishes

- Polished Chrome G-8724-PC
- Brushed Nickel
 G-8724-BNi
- Polished Nickel
 G-8724-PN
- Olive Bronze
 G-8724-OB
- Unfinished Brass*
 G-8724-UB*
- Gold*
 G-8724-AU*
- Brushed Gold* G-8724-BAU*

Warranty

Limited lifetime warranty

For complete warranty information go to https://www.graff-faucets.com/en/info/faqs



^{*} Special order finish- call for availability